

Relaxing Moments

HARVIA

Sauna & Spa

Natural Wellbeing

HARVIA ELECTRIC SAUNA HEATERS

- Electric sauna heaters • Control units*
- Additional sauna products • Infrared radiator*
- Products for steam rooms*



EN

Content

HEATERS FOR SMALL SAUNAS	5
Vega Compact	6
Compact	7
Delta, Delta EE, Delta Combi	7
Unio	8
HARVIA HEATERS FOR FAMILY SAUNAS	9
Kivi	11
Forte	13
Globe	15
Cilindro	16
Figaro	18
Moderna	19
Sound	19
Topclass	20
Topclass Combi	20
Vega	21
Classic Electro	21
Classic Quatro	22
Sauna Steamer	23
Hidden Heater	23
HARVIA HEATERS FOR LARGE AND PUBLIC SAUNAS	25
Modulo	26
Virta	28
Cilindro Pro	31
Legend	33
Elegance	34
Senator	35
Senator Combi	35
Club	36
Club Combi	37
Profi	37
Harvia's infrared cabins	39
Harvia control units	40
Harvia lighting	42
Harvia accessories	44
Harvia steam rooms	47
Harvia Spa Modules	47
TECHNICAL DATA	48



Harvia Oy has been granted the right to use the Design From Finland mark as a sign of Finnish design.

The Design From Finland mark tells of the origin of the unique Finnish design and emphasises the importance of intangible work for Finland's success and employment in Finland.

Relaxing Moments & Natural wellbeing

Harvia is more than a sauna. It is a comprehensive experience that lets you enjoy the presence of nature and the natural well-being that stems from Finnish sauna traditions. In a Harvia sauna, the essential elements of nature – wood, stone and water – combine to create a relaxing oasis of well-being.

The soft heat provided by saunas produces positive health effects. It improves blood circulation and immunity, relieves muscle pain and headaches, reduces stress and relaxes, both physically and mentally.

The soft and steady heat emitted by the heater is the heart of the perfect sauna experience. The heater is

the heart of your sauna – the source of relaxing heat and steam. Harvia's popular heaters have always been pioneers – elegant, durable and economic. All Harvia heaters are also equipped with an exceptionally efficient and controlled air circulation system that warms up the heater and the sauna quickly.

We value nature and its diversity. That is why we want to take care of its purity by developing products that are as environmentally friendly as possible. Harvia's versatile range of electric heaters makes it easy to choose a heater that suits your needs.





Choosing a heater

The volume and structures of the sauna influence the selection of the heater. An average of 1 kW of heater power is required for each cubic metre of sauna volume. The power requirement increases if there are window surfaces or heat-storing surfaces such as brick, concrete or massive logs in the sauna.

When building or renovating your sauna room, remember that the walls and the ceiling in particular require good thermal insulation. One square metre of stone, glass or similar non-insulated surface increases the heater power requirement as much as if the sauna room volume were increased by 1.2 cubic metres. If the interior walls of the sauna room are made of non-insulated logs, the corresponding factor is 1.5. You should also pay attention to the sauna room's ventilation. Efficient air circulation ensures that the bathers can enjoy clean air that is easy to breathe.

Original Harvia sauna stones

Harvia sauna stones are selected with respect for old sauna traditions, and they provide bathers with proper, soft heat and steam. Electric heaters and wood-burning stoves must absolutely use massive, split-face sauna stones, as they store plenty of heat and make the water thrown onto them vaporise efficiently on the broad fracture surface. Angular split-face stones also allow for loose placement of the stones, which is very important particularly in electric heaters in order to make it possible for the heat to be conveyed to the sauna room through the gaps between the hot stones and heating elements. Good air circulation in the stone compartment makes the electric heating elements last for as long as possible. Light (ceramic), soft (soapstone) and smooth (rounded) sauna stones do not produce similar results. They also cause problems in electric heaters in particular, which is why their use is prohibited.

Harvia sauna stones are available in two sizes. Check the product information to see which stones are compatible.



AC3020, 20 kg
Stone size ø 10–15 cm



AC3000, 20 kg
Stone size ø 5–10 cm



HEATERS FOR SMALL SAUNAS

Relax in a dimly lit sauna, surrounded by wonderful silence, the heat softly caressing your skin.

Even a small sauna can be great. You need not sacrifice quality and functionality even if space is scarce. You can find an elegant and user-friendly heater of a suitable size in Harvia's range of electric heaters. Design your sauna to be your own oasis of good feeling.



A masterpiece of ergonomics

Vega Compact

The **Harvia Vega Compact** is a true powerhouse heater for small saunas. The heater's operating switches are located near the top of the heater, making the heater easy and ergonomic to use. The Vega Compact can be installed particularly low on the sauna wall. This allows the heat to spread evenly throughout the sauna, ensuring that the lower benches also enjoy plenty of heat.

The Vega Compact is easy to install. Just install the wall rack, lift the heater onto it and secure it in place with one screw. The heater is made of stainless steel.

The Vega Compact models BC23 and BC35 are equipped with a built-in control unit.

⚡ 2,3–3,5 kW 📦 1,3–4,5 m³ 🐾 12 kg

Heater models: BC23, BC35

Heater dimensions: width 280 mm, depth 295 mm, height 505 mm, weight 7 kg

! For more technical information, see page 49



VEGA COMPACT

A stylish heat source for small saunas

Compact

The **Harvia Compact** is a high-quality electric heater made of stainless steel. It is a safe and user-friendly heater that is designed for small saunas intended for one or two people. The illuminated control panel is located high up on the side of the heater, making it convenient to use. The heater is equipped with a water collection tray at the bottom and a wooden heater guard that gives the heater a unique look. The symmetrical design of the Compact heater makes it easy to place and install in the sauna. The heater is equipped with a built-in control panel.

⚡ 2,0–3,0 kW 📦 1,2–4 m³ 🐾 10 kg

Heater models: JM20, JM20E, JM25, JM25E, JM30, JM30E

Heater dimensions: width 300/245 mm (E), depth 220 mm, height 540 mm, weight 9 kg

! For more technical information, see page 49



COMPACT

Small on the outside, big on the inside

Delta, Delta EE, Delta Combi

The **Harvia Delta** is a triangular, space-efficient heater, the design of which is based on the Greek letter delta (Δ). The stylish heater, made of shiny stainless steel, contains a generous amount of stones that give off a wonderful cloud of steam. Thanks to its design, the Delta can be placed in a corner for optimal utilisation of space. The heater is easy to mount on the separate wall rack included in the delivery. The Delta models D23 and D36 are equipped with a built-in control unit.

The **Harvia Delta EE** model is equipped with an illuminated digital control panel which makes the heater easy to use. The heater's On time can be set to anything between 2 and 8 hours, with the factory setting being 4 hours. The preset start time can be programmed to anything between 0 and 18 hours.

The range of Delta heaters also includes the smallest Combi heater in the world: the **Delta Combi**. This heater is created for bathers who appreciate soft and humid steam and a fragrant atmosphere.

⚡ 2,3–3,6 kW 📦 1,3–4,5 m³ 🐾 11 kg

Heater models: D23, D36, D23EE, D29EE, D36EE

Heater dimensions: width 340 mm, depth 200 mm, height 635 mm, weight 8 kg

! For more technical information, see page 50



DELTA

DELTA EE



DELTA COMBI



A stylish heater for small saunas

Unio

The large stone surface of the **Harvia Unio** heater ensures pleasant and humid steam in a small sauna, all the way down to the lower benches. The Harvia Unio is installed into a corner, and its output is 3.6 kW (230 V 1N~), which also gives flexibility to the electrical design. Heaters marked with the EE code are delivered with a separate splash-proof touch control panel that is easy to use. Heaters marked with the E code are controlled by a separate control unit.

⚡ 3,6 kW

📦 1,5–5,5 m³

🪨 36 kg

Heater models: NK3601E, NK36EE

Heater dimensions: width 365 mm, depth 227 mm, height 1070 mm, weight 14 kg



UNIO



HARVIA HEATERS FOR FAMILY SAUNAS

Enjoy a happy moment in the sauna with your family – or dedicate the relaxing sauna experience to yourself.

Design your sauna to suit the needs of your family and choose a suitable Harvia heater as its heart. The heaters in the Harvia family sauna range represent the well-known quality of Harvia: elegant, easy to use, durable and economic.

A top-of-the-range heater with raw natural power

Kivi

The **Harvia Kivi** electric heater is an impressive piece of raw natural power. The source and the power of the Finnish sauna tradition comes from heating up a huge pile of stones. That is what inspired us as well. The Harvia Kivi heater combines centuries-old tradition with the latest technology to create the ultimate sauna experience. Thanks to the massive number of stones and the tall design, you can adjust the nature of the steam from soft to sharp by throwing water either to the side of the heater or straight on top of the stone pillar. Throw water on Kivi for a naturally powerful sauna experience.

This floor model heater has almost 100 kg of sauna stones, which has proved to be the right amount to offer hefty heat within a reasonable time. The stones are located in a two-part, triangular steel framework. This stylish design allows for the natural strengths of the stone.

The Harvia Kivi can be placed near the sauna benches, as its surface temperature is relatively low. You can also embed the heater in the lowest bench with the help of an embedding flange made from stainless steel that is available as an accessory.

The Harvia Kivi heater (models PI70 and PI90) is equipped with a separate digital control panel. This makes using the heater extremely simple and allows you to adjust the temperature to an accuracy of one degree, among other things. The control panel can be placed inside or outside the sauna room with a connecting cable. The length of the cable is 3 m (with 5 m or 10 m as options).

The Harvia Kivi models PI70E and PI90E are controlled by a separate control unit.

⚡ 6,9–9 kW

📦 6–14 m³

🪨 100 kg

Heater models: PI70, PI70E, PI90, PI90E

Heater dimensions: width 370 mm, depth 370 mm, height 1200 mm, weight 15 kg



KIVI

RECOMMENDED PRODUCTS (With the E model)



Xenio CX170
control unit



Xafir CS110
control unit


ACCESSORIES FOR KIVI SAUNA HEATER



Embedding flange
HPI1



Safety railing
HPI2



Safety railing
HPI4



Heater guard
SASPI231



Heater guard with LED lights
SASPI230

! For more technical information, see page 51



*Harvia Forte
– a sauna always at your service.*

*Just grab a towel, lift the Forte's cover and climb
onto the bench to enjoy humid and gentle steam.*

Perfect sauna enjoyment 24/7

Forte

The always-ready Finnish Harvia **Forte** heater provides you with a perfect moment of relaxation in no time at all to punctuate your hectic schedule. The Forte is Harvia's innovative version of the heat-storing electric heater, combining top-of-the-range heater technology with a sleek design. Just grab a towel, lift the Forte's cover and climb onto the bench to enjoy humid and gentle steam. Welcome to a stress-free zone 24/7.

The Forte is equipped with a separate splash-proof control panel. Thanks to the separate control panel, the Forte is extremely well-suited for being embedded into a bench. The Forte's new properties provide family saunas with a sense of safety. The heater will turn off automatically if you forget to close the cover, and the control panel has a keypad lock. The new ECO mode saves electricity, as it allows you to adjust the heater's temperature to a very low setting without turning off the heater.

⚡ 4–9 kW

📦 5–15 m³

🪨 100 kg

Heater models: AFB4, AFB6, AFB9


Heater dimensions: width 500 mm, depth 535 mm, height 830 mm, weight 30 kg

Color options: red, steel, black



FORTE

ACCESSORIES FOR FORTE SAUNA HEATER



Embedding flange
HAF1



! For more technical information, see page 51

A world-class innovation: The Globe heater

Globe

The Harvia **Globe** sauna heater offers you a pleasant sauna experience, not only through heat and steam but also through its unique design and excellent usability. Cast out your preconceptions about the position of the heater in a sauna: the Harvia Globe can be positioned on a wall, on a pedestal or even hung from the ceiling. This freedom of choice also lets your imagination run wild when designing the benches for your sauna.

The Harvia Globe is also an example of environmentally friendly design: it is made from high-quality materials – sturdy stainless steel – and no harmful chemicals are used in its surface finish. A completely new way of thinking is also apparent in the design of the heater, which is made out of precisely laser-cut steel arches and rings. The amount of sauna stones is optimised: the heater heats up quickly enough without sacrificing the softness of the steam.

The Harvia Globe heaters GL70 (Ø 430 mm) and GL110 (Ø 500 mm) are controlled by a touch-screen control panel. Both the user-friendly touch-screen control panel and the highly accurate temperature adjuster have been designed for your convenience according to Harvia's design principles. The splash-proof and simple yet stylish control panel can be installed inside or outside the sauna room. The heater includes a compact power unit, which provides electricity to the heating elements. The heater is connected to the power unit via a cable running inside an armoured tube. The heater's temperature sensor is installed in the ceiling of the sauna room and connected to the power unit via a cable.

The Harvia Globe is also available as E models GL70E and GL110E, which are controlled by a separate control unit. The E models include a connection box for electrical input from the control unit. The heater is connected to the connection box via a cable running inside an armoured tube.

⚡ 6,9–10,5 kW 📦 6–15 m³ ⚖️ 50/80 kg

Heater models: GL70, GL70E, GL110, GL110E

Heater dimensions:

GL70: width 430 mm, depth 430 mm, height 395 mm, weight 10 kg

GL110: width 500 mm, depth 500 mm, height 475 mm, weight 14 kg



GLOBE

RECOMMENDED PRODUCTS (With the E model)



Xenio CX170
control unit



Xafir CS110
control unit


ACCESSORIES FOR THE GLOBE SAUNA HEATER



Wall mounting rack
HGL1/HGL2



Ceiling suspension kit
HGL4



Safety railing
HGL6 / HGL7



Stand low
HGL5



Stand
telescopic
HGL3

! For more technical information, see page 52


Bench protection glass
HGL8



Pillar heater – a top-class steam giver

Cilindro

The range of Harvia Cilindro sauna heaters offers a great selection of affordable pillar heaters for family saunas. You can choose a sauna heater with or without an outer casing, with a built-in or separate control panel, and in black or white. The large number of sauna stones ensures an enjoyable sauna experience with all these options. The price to quality ratio of these floor-mounted sauna heaters is excellent.



CILINDRO

CILINDRO EE

CILINDRO E

(Controlled with a separate control unit)

The **Harvia Cilindro** electric heater contains a massive amount of stones. Thanks to the grate-like outer shell, each user can adjust the nature of the steam: soft when throwing water onto the side of the heater and sharp when throwing water straight on top of the stone pillar. The Cilindro is impressive to both look at and experience.

The operating switches are located near the bottom of the heater. Cilindro heaters equipped with a separate control panel are marked with the code EE. The code E, on the other hand, refers to sauna heater models controlled by a separate control unit.

RECOMMENDED PRODUCTS

(With the E model)

Xenio CX170
control unitC150VKK
control unit

CILINDRO H



CILINDRO HEE

The **Harvia Cilindro H** electric heater has an outer casing that is partially open at the front, allowing users to enjoy the benefits of a large stone surface and place the heater containing a massive amount of stones in a small space. You can adjust between gentle and sharp steam by throwing water in the middle or on top of the stone pillar.

The operating switches are located near the bottom of the heater. Cilindro heaters equipped with a separate control panel are marked with the code EE.

The **Cilindro F** model is surrounded by a closed outer casing made of galvanised steel. The casing shortens the required safety distances, making the heater fit into compact spaces and allowing the benches to be installed near it. This leaves room for creativity in designing a bench solution for your sauna. The heater is equipped with a built-in control unit, with the operating switches located near the bottom of the heater on the front.



CILINDRO F

⚡ 6,6–10,8 kW

📦 6–18 m³

🪨 80–120 kg

Heater dimensions:

Cilindro/E/EE: width 320 mm, depth 320 mm, height 930 mm, weight 10 kg
 Cilindro 66/66E: width 255 mm, depth 255 mm, height 1340 mm, weight 11 kg
 Cilindro H/HE/HEE: width 360 mm, depth 340 mm, height 930 mm, weight 17 kg
 Cilindro F: width 360 mm, depth 360 mm, height 930 mm, weight 17 kg
 Cilindro 110EE: width 365 mm, depth 365 mm, height 1070 mm, weight 13 kg
 Cilindro 110HEE/VHEE: width 395 mm, depth 380 mm, height 1070 mm, weight 17 kg

ACCESSORIES FOR THE CILINDRO SAUNA HEATER

Embedding flange
HPC1
(6,8/9,0 kW)Embedding flange
HPC2
(6,8/9,0/10,8 kW)Illuminated embed-
ding flange HPC2L
(6,8/9,0/10,8 kW)Safety railing
HPC3
(6,8/9,0 kW)Safety railing with
LED lights HPC3L
(6,8/9,0 kW)Safety railing
HPC4
(10,8 kW)Safety railing with
LED lights HPC4L
(10,8 kW)

! For more technical information, see page 53



A digital design heater

Moderna

The **Harvia Moderna** is the royalty of electric heaters. Thanks to Harvia's patented control technology, Moderna heats up your sauna quickly and silently to the temperature of your choosing. The Moderna heater keeps the temperature even throughout your sauna session. With its stylish design, the Moderna is also a beautiful decorative element. Choose from shiny black, luxurious platinum or modern titanium.

The Moderna is controlled by a separate digital control panel. It is equipped with illuminated switches and a digital display that shows the temperature you have set and the timer. The heater's On time can be set to anything between 2 and 8 hours, with the factory setting being 4 hours. The preset start time can be programmed to anything between 0 and 18 hours.

⚡ 4,5–8 kW 📦 3–12 m³ 🪨 20 kg

Heater models: V45E, V60E, V80E

Heater dimensions: width 410 mm, depth 310 mm, height 580 mm, weight 15 kg

Värvivaihtoehdot: teräs, musta, platina

! For more technical information, see page 54



MODERNA

An enchanting sauna experience

Figaro

The **Harvia Figaro** brings something completely new into your family sauna. The heater's design combines the traditional materials, steel and stone, in a modern way. The large amount of stones, up to 90 kg, lets you enjoy pleasant and humid steam. The high stone compartment is open from the bottom to the top, making it easy to throw water on the stones and ensuring even and pleasant heat in the sauna, all the way down to the lower benches. The Figaro is mounted on the floor and its back is secured to the wall for support. The operating switches are located near the bottom of the heater on the front. Heaters marked with the E code are controlled by a separate control unit.

⚡ 6,8–9,0 kW 📦 6–14 m³ 🪨 90 kg

Heater models: FG70, FG70E, FG90, FG90E

Heater dimensions: width 480 mm, depth 260 mm, height 940 mm, weight 20 kg



FIGARO

FIGARO E

RECOMMENDED PRODUCTS (With the E model)



Xenio CX170
control unit



Xafir CS110
control unit

! For more technical information, see page 54

New rhythm for your sauna

Sound

The design of the **Harvia Sound** heater has rhythm, and the steam given off by the heater sounds and feels perfect. When you want a reliable electric heater with swing, choose the easy-to-use Sound heater that has personality. Which colour option is a hit for you: black, platinum or stainless steel?

The Harvia Sound heater has well-designed details and high-quality materials. The heater's operating switches are located on the side of the heater, near the bottom. The models M45E, M60E, M80E and M90E are controlled by a separate control unit.

⚡ 4,5–9 kW 📦 3–14 m³ 🪨 20 kg

Heater models: M45, M45E, M60, M60E, M80, M80E, M90E

Heater dimensions: width 420 mm, depth 310 mm, height 620 mm, weight 16 kg

Color options: steel, platinum, black



SOUND

SOUND E

RECOMMENDED PRODUCTS (With the E model)



Xenio CX170
control unit



Xafir CS110
control unit

! For more technical information, see page 55

A high-quality and user-friendly heater

Topclass

The **Harvia Topclass** is an easy-to-use basic heater that gives off generous steam. The stone compartment and outer casing of this stylish heater are made of stainless steel. The illuminated control panel is placed on the side of the heater near the top, making the switches easy to access even in a dimly lit sauna. Reliable Harvia quality. The right- or left-handedness of the heater can be chosen by installing it to the wall rack correspondingly.

⚡ 3,5–8,0 kW 📦 2–12 m³ 🪨 20 kg

Heater models: KV30, KV30E, KV45, KV45E, KV60, KV60E, KV80, KV80E
Heater dimensions: width 450 /410 (E) mm, depth 300 mm, height 650 mm, weight 16 kg

! For more technical information, see page 55



TOPCLASS



TOPCLASS COMBI

Several sauna experiences in one

Topclass Combi

The Harvia **Topclass Combi** is a unique combination of an electric heater and a steamer that provides sauna enjoyment for all senses. You can select between a traditional Finnish sauna, a steam sauna, a herbal sauna or an aromatic sauna. This heater is created for users who appreciate soft and humid steam and a fragrant atmosphere. The heater has soapstone cups to hold sauna fragrances and a stainless steel grate for bagged aromatic fragrances. A hedonist’s choice.

Topclass Combi heaters are controlled by a separate control unit.

⚡ 5,0–9,0 kW 📦 3–14 m³ 🪨 20 kg

Heater models: KV50SE, KV50SEA, KV60SE, KV60SEA, KV80SE, KV80SEA, KV90SE, KV90SEA
Heater dimensions: width 400 mm, depth 360 mm, height 640 mm, weight 16 kg

! For more technical information, see page 56

RECOMMENDED PRODUCTS



Xenio Combi
CX110C
control unit



Xafir Combi
CS110C
control unit



CS105S Logix
control unit

Modern convenience

Vega

The **Harvia Vega** is a modern and easy-to-use heater by the world’s largest sauna heater manufacturer. The stainless steel outer casing of Vega is durable and creates a modern look for your sauna. The operating switches are placed ergonomically on the side of the heater, near the top, and thanks to the symmetric shape of the heater, the switches can be placed on either side.

⚡ 4,5–8,0 kW 📦 3–12 m³ 🪨 20 kg

Heater models: BC45, BC60, BC80
Heater dimensions: width 480 mm, depth 310 mm, height 540 mm, weight 11 kg

! For more technical information, see page 56



VEGA

For those who want some serious steam

Classic Electro

The exceptionally large stone surface of the **Classic Electro** electric heater gives you the classic sauna experience: a hearty amount of steam. This black steel Harvia heater with an impressive stone compartment leaves no one cold. The stylish classic among electric heaters can be tailored to the user, as the operating switches can be placed on the left or right side, or in the front. We at Harvia wish you pleasant, steam-filled evenings.


⚡ 6,0–8,0 kW 📦 5–12 m³ 🪨 27 kg

Heater models: CS60, CS80
Heater dimensions: width 410 mm, depth 270 mm, height 600 mm, weight 16 kg

! For more technical information, see page 57



CLASSIC ELECTRO



Pillar heater for connoisseurs

Classic Quatro

The massive amount of stones in the Harvia **Classic Quatro** electric heater gives you a pleasant sauna experience with wonderfully soft and humid steam.

You can adjust the nature of the heat from soft to sharp by throwing water either onto the side of the heater or straight on top of the stone pillar. The Classic Quatro is an impressive floor-mounted pillar heater and the crowning element of your sauna decoration.

⚡ 6,8–9 kW 📦 6–14m³ 🪨 80 kg

Heater models: QR70, QR90

Heater dimensions: width 410 mm, depth 270 mm, height 600 mm, weight 16 kg



CLASSIC QUATRO

Bring a spa atmosphere to your sauna

Sauna Steamer

The Harvia **Sauna Steamer** is an add-on device that works independently along with an electric heater to make the sauna experience more gentle and humid. Safe and easy-to-use, the Harvia Sauna Steamer brings a spa atmosphere and the feeling of a steam room to an ordinary sauna. The gently humid steam promotes beauty and health, as it opens your airways, makes your skin beautiful and relaxes your body and mind. Make your sauna an oasis of well-being by purchasing the Harvia Sauna Steamer.

⚡ 2,0 kW

Heater models: SS20, SS20A

Mitat: width 340 mm, depth 95 mm, height 680 mm, weight 6 kg



SAUNA STEAMER

RECOMMENDED PRODUCTS



Xenio Combi
CX110C
control unit



Xafir Combi
CS110C
control unit

A heater behind the benches

Hidden Heater

Harvia Hidden Heater is a practical heater requiring very little space. It is mounted behind the benches and is therefore very well-suited for community saunas.

Optional accessories for Hidden Heater include a soapstone bowl and a flexible hose pipe. The heat remains comfortably even when water is conveyed to the heater little by little. The bowl is placed on the bench and water is poured into it. The hose pipe takes the water to the heater.

This heater is designed for heavy-duty use and completely made of high-quality stainless steel.

The Hidden Heater is controlled by a separate control unit.

⚡ 6,0–12,0 kW 📦 6–17 m³ 🪨 15 kg

Heater model: HH6, HH9, HH12

Heater dimensions: width 1175 mm, depth 290 mm, height 830 mm, weight 33 kg



HIDDEN HEATER



HARVIA HEATERS FOR LARGE AND PUBLIC SAUNAS

A shared moment of relaxation in pleasant heat is a shared enjoyment.

Heaters used in large saunas or on a continuous basis must be efficient and durable. The humidity and temperature in the sauna must remain stable for long periods of time. The capabilities of Harvia heaters intended for public saunas make them particularly well-suited for saunas in apartment buildings and terraced houses, swimming halls, spa resorts and large corporate saunas.



A sturdy floor-mounted heater that adapts to your bench solution

Modulo


Choose a version with open or closed sides, with either black or steel as the colour, add a steamer – the result is more than the sum of its parts. The Modulo is designed and made to provide users with a freedom of choice, strong durability and wonderful steam.

The **Modulo** comes as an open-sided version with the stones completely on display, as a closed-side version with sleek steel sides or as a combination of these. The closed side has the benefit of smaller safety distances and its ability to prevent water splashes, which makes the Modulo the ultimate heater for corner installations.

If you prefer, the Modulo is also available as an open-sided heater equipped with a steamer. The steamer is the right choice for those who enjoy soft and humid steam and the atmosphere created by fragrances.

Harvia Modulo heaters are easy to install. The heating elements are separated from the stones, which results in a long heating element life span. If you need to replace a heating element, it is a quick and easy task, as you can just pull out the entire heating element module. Other maintenance measures were also taken into account in the heaters' design from the very start.

All heaters can be equipped with a safety railing and a protective glass sheath. A protective glass sheath is not only stylish but also prevents water from splashing around the heater.



⚡ 13,6–18 kW 📦 11–28 m³ 🍄 160 kg

Heater models: MD/MDS135, MD/MDS135SA, MD/MDS160, MD/MDS160SA, MD/MDS180, MD/MDS180SA, MD/MDS135G, MD/MDS160G, MD/MDS180G, MD/MDS135GL, MD/MDS160GL, MD/MDS180GL, MD/MDS135GR, MD/MDS160GR, MD/MDS180GR, MD/MDS135H, MD/MDS160H, MD/MDS180H, MD/MDS135GSA, MD/MDS160GSA, MD/MDS180GSA
MD/MDS135–180 dimensions: Width 550 mm, depth 550 mm, height 805, weight 47 kg
MDSA/MDSSA135–180 dimensions: Width 550 mm, depth 550 mm, height 805, weight 52 kg

ACCESSORIES FOR THE MODULO SAUNA HEATER



Safety railing
HMD1



Protective glass wall
HMD3



MODULO


Select the model most suitable for you – with black or steel as the colour




CLOSED SIDES



CLOSED SIDES,
WITH A STEAMER



OPEN



CORNER MODEL,
RIGHT



CORNER MODEL,
LEFT



ONE SIDE
OPEN



OPEN ON THREE SIDES,
WITH A STEAMER

A long-lasting pillar heater for demanding professional use

The sturdily built and tall **Modulo** is available as an open-sided version with the stones completely on display and as a pillar that is partially open at the front. The tall model is particularly suited for saunas with opposite-facing benches, though by no means is it limited to them.

The heating elements are sturdier than in most models, which makes them exceptionally resistant to the demanding conditions in public and spa saunas. The heater's output can be modified to either 16.6 kW or 19.8 kW. Harvia Modulo heaters are also easy to install. The heaters can be equipped with a stylish and sturdy safety railing.

The natural stones bring style to your sauna and make it easy to throw water onto the stones. The heater's outer casing is available in black and shiny steel.

Four different versions of the tall Modulo are available: open on all sides, right corner model, left corner model and open on three sides.

⚡ 16,6–19,8 kW 📦 15–30 m³ 🍄 220 kg

Heater models: MDA1654G, MDA1654GL, MDA1654GR, MDA1654C, MDAS1654G, MDAS1654GL, MDAS1654GR, MDAS1654C
Heater dimensions: Width 450 mm, depth 455 mm, height 1300, weight 61 kg



RECOMMENDED PRODUCTS



Xenio CX170
control unit



Xenio CX110C
Combi control unit



C260
control unit



C150
control unit



LTY17
additional power unit

! For more technical information, see page 58



Strong, practical and simple yet stylish electric heaters

Virta

The Harvia Virta is the perfect choice for a medium-sized or large sauna when you want a sturdy structure, reliability and a sleek and modern design.

Their strong structure and exceptional ease of maintenance make Virta heaters excellently suitable for those who use the sauna often and like to enjoy the steam for long periods of time.

All connections to the Virta heater are made through the maintenance hatch on the front. There is plenty of room around the connections. The heating elements are separated from the stones, which results in a long heating element life span. If you need to replace a heating element, it is a quick and easy task, as you can just pull out the entire heating element module. Other maintenance measures were also taken into account in the heaters' design from the very start.

The Harvia **Virta** is a sturdy heater that provides soft steam for those who appreciate a traditional sauna experience. Three different power versions of the heater are available, the most high-powered version being the HL110, which is 7 cm larger in depth than the HL70 and the HL90.

⚡ 6,8–10,8 kW 📦 5–18 m³ ⚖️ 50/70 kg

Heater models: HL70, HLS70, HL90, HLS90, HL110, HLS110
HL/HLS70–90 mitat: Width 415 mm, depth 340 mm, height 810, weight 21 kg
HL/HLS110 mitat: Width 415 mm, depth 410 mm, height 810, weight 24 kg

Harvia **Virta Pro** models provide abundant heating power for saunas installed in spas, hotels and apartment buildings, for example. Thanks to its strong construction, heating elements divided into two groups and exceptional ease of maintenance, the Virta Pro heater is an excellent choice for heavy duty use.

⚡ 13,5–21,6 kW 📦 11–32 m³ ⚖️ 100/140 kg

Heater models: HL135, HLS135, HL160, HLS160, HL220, HLS220
HL/HLS135–160 mitat: Width 780 mm, height 810 mm, depth 340, weight 41 kg
HL/HLS220 mitat: Width 780 mm, height 810 mm, depth 410, weight 47 kg



VIRTA



VIRTA PRO

The **Virta Combi** is a combined electric heater and steamer that provides a variety of sauna experiences. You can select between a traditional Finnish sauna, a steam sauna, a herbal sauna or an aromatic sauna. The Combi heater is the right choice for those who enjoy soft and humid steam and the atmosphere created by fragrances. The water tank holds 5 litres – depending on the model, the tank is filled either by manually pouring water into the tank or automatically from a water outlet. The heater has a soapstone cup to hold sauna fragrances and a stainless steel grate for bagged aromatic fragrances. The Combi system is reliable and easy to use.

⚡ 6,8–10,8 kW 📦 5–18 m³ ⚖️ 50/70 kg

Heater models: HL70S, HL70SA, HL90S, HL90SA, HLS70S, HLS70SA, HLS90S, HLS90SA, HL110S, HLS110, HL110SA, HLS110SA
HL/HLS70–90S/SA mitat: Width 415 mm, depth 410 mm, height 810, weight 27 kg
HL/HLS110S/SA mitat: Width 415 mm, depth 485 mm, height 810, weight 29 kg



VIRTA COMBI

Harvia **Virta Pro Combi** models are intended for larger saunas that require the diversity introduced by the steamer. Gyms and wellness centres in particular can benefit from the heater's features.

⚡ 13,5–21,6 kW 📦 11–32 m³ ⚖️ 100/140 kg

Heater models: HL135SA, HLS135SA, HL160SA, HLS160SA, HL220SA, HLS220SA
HL/HLS135–160S/SA mitat: Width 780 mm, depth 410 mm, height 810, weight 53 kg
HL/HLS220S/SA mitat: Width 780 mm, depth 485 mm, height 810, weight 57 kg



VIRTA PRO COMBI

ACCESSORIES FOR THE VIRTA SAUNA HEATER



Safety railing
HL1–HL5

RECOMMENDED PRODUCTS



Xenio CX170
control unit



Xenio CX110C
control unit
(for Combi heater)



LTY17
additional power unit

! For more technical information, see page 60

Heavy-duty Cilindro Pro heaters

Cilindro Pro

The **Cilindro Pro** electric heater gives off hearty steam in a family sauna, but the superior features of the heater are especially beneficial to public saunas, hotels and housing companies, for example. The impressive pillar heater contains a massive amount of stones, and the robust heating elements are designed to withstand long operating times. This guarantees plenty of hearty steam for large groups of users. When you want the most out of your heater, choose the professional quality of the world's largest sauna heater manufacturer.

The Cilindro Pro 100E/135E can be modified to either 10 or 13.2 kW. The Cilindro Pro 165E/200E heater, on the other hand, can be modified to either 16.6 or, when divided into two groups, to 19.8 kW.

The heater is equipped with a separate control unit.

⚡ 10–19,8 kW 🏠 9–30 m³ 🐾 140/220 kg

Heater models: PC100/135E, PC165E/PC200E


Heater dimensions:

PC100/135E width 355 mm, depth 355 mm, height 1300 mm, weight 18 kg

PC165E/PC200E width 450 mm, depth 450 mm, height 1300 mm, weight 28 kg



**CILINDRO PRO
PC100E/135E**



**CILINDRO PRO
PC165E/200E**

ACCESSORIES FOR THE CILINDRO PRO SAUNA HEATERS



Protective sheath
HPC5
(11–20 kW)



Safety railing
HPC6
(11 / 13,5 kW)



Embedding flange
HPC7
(16,5 / 20 kW)



Safety railing
HPC8
(16,5 / 20 kW)



Autodose
SASL1

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C150VKK
control unit



C260
control unit



LTY17
additional power unit

! For more technical information, see page 61

Handmade – stories about steam

Legend

The **Harvia Legend** provides you with the ultimate sauna experience. This large heater takes you back to the origins of heaters – it is a heater in its purest form. The patinated steel frame of the Harvia Legend contains a large amount of stones that gives off great steam even in large saunas as it heats up. Due to the open structure of the stone compartment, you can throw water on the entire outer surface of the heater. The heat charged in the large number of stones allows you to throw more water even at a lower temperature – you can enjoy delightfully humid steam in your sauna.

Due to its circular shape, the Harvia Legend heater can be installed in the middle of the sauna or embedded into the bench. The heater is controlled by a separate control unit.

⚡ 11–16,5 kW 📦 9–35 m³ ⚖️ 120/220 kg

Heater models: P011, P0165

P011-Heater dimensions: halkaisija 530 mm, height 740 mm, weight 30 kg

P0165-Heater dimensions: halkaisija 600 mm, height 830 mm, weight 33 kg



**LEGEND
P011**

**LEGEND
P0165**

ACCESSORIES FOR THE LEGEND SAUNA HEATERS



Safety railing
SASP0240 (Ø 850 mm)
SASP0241 (Ø 780 mm)



Safety railing with
LED lights
SASP0240L (Ø 850 mm)
SASP0241L (Ø 780 mm)



Autodose
SASL1

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C260
control unit



C150
control unit

Complete your sauna experience with Legend sauna accessories



Legend sauna bucket
SASP0100

Legend ladle
SASP0101



Legend clothes hanger
SASP0103



Legend thermometer
SASP0104



! For more technical information, see page 61



A high-quality electric heater with elegance

Elegance

The **Harvia Elegance** heater is sure to catch everyone's eye. Thanks to its beauty and design, this queen of heaters is suited for installing in the middle of the floor or embedding into the bench, for example. Made of stainless steel, this quality heater is best suited for public saunas and large family saunas. The stylish look of the Elegance heater can be complemented with a beautiful, reddish wooden railing made of alder, also available with built-in halogen lights. When nothing less will do, choose Elegance and enjoy the relaxing effects of the sauna.



ELEGANCE

⚡ 10,5–18 kW 📦 9–35 m³ 🍇 60 kg

Heater models: F10,5, F15, F16,5, F18

Heater dimensions: width 500 mm, depth 500 mm, height 700 mm, weight 26 kg

ACCESSORIES FOR THE ELEGANCE SAUNA HEATERS



Wooden handrail
HRE1



Illuminated handrail
HRE2



Autodose
SASL1

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C260
control unit



C150
control unit

! For more technical information, see page 62

A stylish high-quality heater

Senator

The **Harvia Senator** is a floor-mounted electric heater specifically designed for those who like to spend a long time in the sauna. The large stone compartment and six heating elements warm up the sauna evenly and efficiently. A constant temperature and soft steam are ideal for enjoying the sauna for longer periods of time.

The Senator is made almost entirely of stainless steel. The heater is well-suited for family saunas or small shared saunas in terraced houses or apartment buildings.

The Senator heater is controlled by a separate control unit.



SENATOR

⚡ 9–10,5 kW 📦 8–15 m³ 🍇 40 kg

Heater models: T9, T10,5

Heater dimensions: width 465 mm, depth 345 mm, height 660 mm, weight 19 kg

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C260
control unit



C150
control unit

A stylish Sauna & Spa heater

Senator Combi

The Harvia **Senator Combi** heater is a versatile combination of an electric heater and a steamer that provides gentle and warm Sauna & Spa experiences. The floor-mounted Senator Combi can create a traditional Finnish sauna, a steam sauna, a herbal sauna or a fragrant sauna – all sauna experiences in one package. The stylish stainless steel heater creates a spa atmosphere in family saunas and shared saunas in apartment buildings and terraced houses. Enjoy the beautifying and healthy power of steam by Harvia.

Senator Combi heaters are controlled by a separate control unit.



SENATOR COMBI

⚡ 7–9,0 kW 📦 6–14 m³ 🍇 35 kg

Heater models: T7C, T7CA, T9C, T9CA

Heater dimensions: width 345 mm, depth 465 mm, height 660 mm, weight 20 kg

ACCESSORIES FOR THE SENATOR AND SENATOR COMBI HEATERS



Autodose
SASL1

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C260
control unit



C150
control unit

! For more technical information, see page 63



A super heater for a large club

Club

The **Harvia Club** heater is a heavy duty heater with enough steam for a large group of users, from morning till night. Heaters used in large saunas or on a continuous basis must be functional, efficient and comfortable to use. The impressive floor-mounted Club electric heater with a steel outer shell is perfect for this purpose – after all, it represents the world-famous quality of Harvia. Equipped with a separate control unit, the Club super heater is excellently suited for apartment buildings, hotels, holiday resorts, sports centres and swimming halls as well as large family saunas. Choose Club when you demand super power and durability from your heater.

⚡ 11–15 kW 📦 9–24 m³ ⚖️ 60 kg

Heater models: K11G, K13,5G, K15G
Heater dimensions: width 505 mm, depth 430 mm, height 700 mm, weight 25 kg

ACCESSORIES FOR THE CLUB, CLUB COMBI AND PROFI HEATERS



Autodose
SASL1

! For more technical information, see page 64



CLUB

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C260
control unit



C150
control unit

A super heater combined with a steamer for heavy duty use

Club Combi

The Harvia **Club Combi** is a combination of an electric heater and a steamer that offers a variety of sauna experiences, such as a traditional sauna, a steam sauna, a herbal sauna or a fragrance sauna. The super-efficient Club Combi combination heater is designed to have enough steam for a large group of users, from morning till night. The stylish, floor-mounted Club Combi electric heater made of stainless steel represents the world-famous quality of Harvia. When you wish to experience or provide your customers with true Sauna & Spa experiences, familiarise yourself with the super-efficient Club Combi models.

Club Combi heaters are controlled by a control unit. The Club Combi requires a separate power supply for both the heater (3-phase 16/25A) and the control unit (1-phase 10A).

⚡ 11–15 kW 📦 9–24 m³ ⚖️ 60 kg

Heater models: K11GS, K13,5GS, K15GS
Heater dimensions: width 505 mm, depth 490 mm, height 700 mm, weight 30 kg

! For more technical, see page 64

Professional sauna enjoyment

Profi

The **Harvia Profi** heater is designed to be a super heater that provides ample steam for large groups from morning till night. The heater is suitable for apartment buildings, hotels, holiday resorts, sports centres and spas etc. Heaters used in large saunas or on a continuous basis must be functional, efficient and easy to use. The range of floor-mounted Profi heaters is of world-famous Harvia quality that will not pale in comparison. Most importantly, the Profi heater provides your demanding customers with professional sauna enjoyment and moments of relaxation.

Profi heaters are controlled by a separate control unit.

⚡ 20–33 kW 📦 18–66 m³ ⚖️ 100 kg

Heater models: L20, L26, L30, L33
Heater dimensions: width 500 mm, depth 900 mm, height 730 mm, weight 60 kg

! For more technical information, see page 65



CLUB COMBI

RECOMMENDED PRODUCTS



Xenio Combi
CX110C
control unit



Xafir Combi
CS110C
control unit



CS105S Logix
control unit



PROFI

RECOMMENDED PRODUCTS



Xenio CX170
control unit



C260
control unit



LTY17
additional power unit

Come and be well

Harvia's infrared cabins

We have combined innovative and health-promoting infrared technology with Finnish design in a form that is easy to assemble. Harvia infrared cabins bring luxurious well-being to homes, spas, fitness centres and wherever people want to experience a perfect harmony of body and mind.

Building a modern infrared cabin is easy, as it requires no waterproofing or a separate building permit. An infrared cabin can be easily built into the walk-in closet or bedroom of an apartment, for example. Infrared heat has several positive health effects and it gives you a pleasant sense of well-being. The Harvia infrared system consists of infrared radiators and an infrared control unit. The infrared cabin is quick to use: just switch it on with the digital control panel and you can enjoy the pleasant heat within a few moments. The Harvia infrared radiators are of tested Harvia quality very reliable, durable and long-lasting. We will design an infrared cabin to meet your specific needs. Request an offer from Harvia for a customised infrared cabin.

The **Harvia Carbon** infrared heater brings gentle heat to your infrared cabin. The Carbon infrared radiator is a thin carbon fibre heating element that heats quickly as the current passes through it. It can be installed into a dry space, e.g. onto wall panels. Along with the Comfort model, the Carbon infrared radiator is suitable for custom-made Harvia infrared cabins.

Dimensions: width 400 mm, depth 40 mm, height 1000 mm
Output: 380 W
Wavelength range: n. 4000–17.000 nm

The **Harvia Comfort** infrared radiator brings gentle heat to your infrared cabin. The infrared radiator is equipped with a light and is easy to install. Its flock-coated surface is comfortable and safe. The core of the infrared radiator is a tube-type heating element specially designed for Harvia infrared cabins.

Mitat: width 218 mm, depth 60 mm, height 725 mm
Output: 400 W, valo 35 W
Wavelength range: n. 4000–4500 nm

RECOMMENDED PRODUCTS



Xenio Infra CX361
control unit



Griffin Infra
CG170I
-ohjauskeskus



Wooden grill for
Carbon radiator
SAS2500



**CARBON
INFRARED RADIATOR**
WX455











**COMFORT
INFRARED RADIATOR**
SACP2302P












Effortless use of the sauna

Harvia control units

Control units make it easy to use the sauna. Select a heater type controlled by a separate control unit and then choose the type of control unit that suits how you use your sauna. Harvia’s versatile range includes separate control units for the home and public premises. The control unit functions are implemented using modern processor technology, and the sensors are equipped with a resettable overheat protector.

CONTROL UNIT		MAX. OUTPUT	DESCRIPTION	FUNCTIONS
HARVIA XENIO CX170		Max. 17 kW 3N~ 230 V	Modern and subtly stylish. The compact yet clear touch control panel can be surface-mounted in almost any dry space – sauna, washroom, dressing room or even the living room.	<ul style="list-style-type: none">• For controlling an electric heater• temperature adjustment range 40–110 °C• On time adjustment range:<ul style="list-style-type: none">– family saunas 1–6 h– public saunas 1–12 h• preset time adjustment range 0–12 h• lighting and fan control
HARVIA XENIO COMBI CX110C		Max. 11 kW 3N~ 230 V	Modern and subtly stylish. The compact yet clear touch control panel can be surface-mounted in almost any dry space – sauna, washroom, dressing room or even the living room. For controlling a Combi heater or a combined heater and steamer.	<ul style="list-style-type: none">• For controlling a Combi heater or a combined heater and steamer• temperature adjustment range 40–110 °C• Humidity adjustment range 20–95 RH• On time adjustment range:<ul style="list-style-type: none">– family saunas 1–6 h– public saunas 1–12 h• preset time adjustment range 0–12 h• lighting and fan control
HARVIA XENIO INFRA CX361		Max. 3,6 kW 1N~ 230 V	A versatile and stylish next-generation digital control unit for infrared cabins.	<ul style="list-style-type: none">• For controlling your infrared cabin• temperature adjustment range 25–50 °C• On time adjustment range: 1–12 h• lighting control• maximum power 3,6 kW• power unit supply voltage 230 V 1N-• Multidrive (max. 8 power units)
XAFIR CS110		Max. 11 kW 3N~ 230 V	A simple user interface and a sleek touch-screen control panel. With the control unit, you can control an electric heater with an output of up to 11 kW, in addition to controlling the lighting and the ventilation in the sauna. Xafir is especially designed for home spas that include both an electric sauna and a steam room.	<ul style="list-style-type: none">• For controlling an electric heater• Temperature adjustment range: 40–110 °C• On time adjustment range:<ul style="list-style-type: none">– family saunas 1–6 h– community saunas 1–12 h• Delay time adjustment range: 0–18 h• Lighting control• Data cable length: 5 m (can be extended with extensions measuring 10 m up to roughly 30 m)
XAFIR CS170		Max. 17 kW 3N~ 230 V	A simple user interface and a sleek touch-screen control panel. With the Xafir CS170 control unit, you can control an electric heater with an output of up to 17 kW, in addition to controlling the lighting and the ventilation in the sauna. Xafir is especially designed for home spas that include both an electric sauna and a steam room.	<ul style="list-style-type: none">• For controlling an electric heater• Temperature adjustment range: 40–110 °C• On time adjustment range:<ul style="list-style-type: none">– family saunas 1–6 h– community saunas 1–12 h• Delay time adjustment range 0–18 h• Lighting and fan control• Data cable length: 5 m (can be extended with extensions measuring 10 m up to roughly 30 m)
XAFIR COMBI CS110C		Max. 11 kW 3N~ 230 V	With the Xafir Combi control unit, you can control a Combi heater with an output of up to 11 kW, in addition to controlling the lighting and the ventilation in the sauna. Xafir is especially designed for home spas that include both an electric sauna and a steam room. Xafir’s design is consistent with that of Harvia’s steam generator control panel, ensuring a stylish overall look when the control panels are installed side by side.	<ul style="list-style-type: none">• For controlling an electric heater• Temperature adjustment range 40–110 °C• On time adjustment range<ul style="list-style-type: none">– 1–6 h family sauna– public saunas 1–12 h• Preset time adjustment range 0–12 h• Lighting control, max. output 100 W, 230 V 1N-• Fan control, max. output 100 W, 230 V 1N-
GRIFFIN CG170		Max. 17 kW 400 V 3N~	The Harvia Griffin provides its user with a variety of easy-to-use optional features. You can calibrate the temperature display of the control unit to match your sauna thermometer, for example. You can add another temperature sensor to the Griffin CG170 model for even more accurate temperature control.	<ul style="list-style-type: none">• For controlling an electric heater• Temperature adjustment range 40–110 °C• On time adjustment range<ul style="list-style-type: none">– 1–6 h family sauna– public saunas 1–12 h• Preset time adjustment range 0–12 h• Lighting control, max. output 100 W, 230 V 1N-• Fan control, max. output 100 W, 230 V 1N-
GRIFFIN COMBI CG170C		For a Combi heater Max. 17 kW 400 V 3N~	A versatile and stylish digital control unit for controlling a Combi combination heater or a heater and a separate steamer. The easy-to-use Griffin enables you to control almost all electric functions in your sauna, such as the On time of the heater, the lighting, the ventilation and the temperature – to an accuracy of one degree.	<ul style="list-style-type: none">• For controlling a Combi heater or a combined heater and steamer• Temperature adjustment range 40–110 °C• On time adjustment range<ul style="list-style-type: none">– 1–6 h family sauna– public saunas 1–12 h• Preset time adjustment range 0–12 h• Power unit supply voltage 400 V 3N-• Lighting control, max. output 100 W, 230 V 1N-• Fan control, max. output 100 W, 230 V 1N-



CONTROL UNIT		MAX. OUTPUT	DESCRIPTION	FUNCTIONS
GRIFFIN COLOUR LIGHT CG170T		Max. load/power unit 2x50 W colour light devices	A digital control unit that enables you to control your colour light system and create a suitable atmosphere in your sauna. Lighting plays a major role in decoration and comfort. Choose the stylish, chrome-plated Griffin to bring luxury to your sauna experiences. Small and flat, the control panel can be installed in virtually any dry place.	Colour light control one colour repeating order random order Adjustment of the colour-changing speed 5-120 s Adjustment of the brightness of the light 20-100% Output 2 x 50 W On time adjustment range: - family saunas 1-6 h, public saunas 1-12 h
GRIFFIN INFRA CG170I		Max. load /power unit 3.6 kW	An elegant, next-generation digital control unit for infrared cabins. The easy-to-use Griffin enables you to control almost all electric functions in your sauna, such as the On time of the heater, the lighting, the ventilation and the temperature – to an accuracy of one degree.	<ul style="list-style-type: none">• For controlling your infrared cabin• Temperature adjustment range 25-50 °C• On time adjustment range 1-12 h• Maximum load 3.6 kW• Supply voltage 230 V 1N-• Lighting control, max. output 300 W, 230 V 1N-
C150		Max. 17 kW 400 V 3N~	A reliable, manually operated basic control unit for heaters with a power output of 2.3-17 kW and a single-group electrical system. The delivery includes a separate temperature sensor with a 4-metre cable. The heater's On time can be limited to 1-12 hours.	<ul style="list-style-type: none">• For controlling an electric heater• Temperature adjustment range 40-110 °C• Max. number on display 125 °C• Max. heater output 17 kW• On time 4 (1-12) h• Preset time 0-12 h
C150VKK		Max. 17 kW 400 V 3N~	A manually operated control unit with a week timer and a remote control feature. The unit allows you to easily time and control the heater of a public sauna. A programmable week timer enables the heater to automatically turn on or off at any given time on selected days of the week.	<ul style="list-style-type: none">• For controlling an electric heater• Temperature adjustment range 40-110 °C• Max. number on display 125 °C• Heater output max. 17 kW• On time 6, 12 or 18 h• A week timer and remote control function
C260		16A, max. 22 kW 25A, max. 34 kW 400 V 3N~	The C260 control unit is a package that comprises two parts: a control unit and a power unit divided into two parts. There are two versions of the power unit so that the control unit can be used with heaters that have different power output levels.	<ul style="list-style-type: none">• For controlling electric heaters• For up to 22 kW (2 x 11 kW) heaters• Operating voltage 3-phase 380-415 V 3 N-• Front fuse: 3 x 35A• Group fuse F1, F2: 16A• Temperature adjustment range 40-110 °C• Max. number on display 125 °C• On time 6, 12 or 18 h• Includes a C260K power unit, divided into two parts. A week timer and remote control function.
CS105S LOGIX		Max. 10,5 kW (K15GS, max. 15,5 kW) 400 V 3N~	The C105S Logix is a handy control unit for combined heaters and steamers that can also be used to control a separate Harvia steamer and electric heater. The control unit controls the heat produced by the heater and the humidity produced by the steamer in the sauna room. Both the steamer and heater have their own sensors that sense the temperature and humidity. The sensors are included in the delivery.	<ul style="list-style-type: none">• Max. heater output 10,5 kW• Temperature adjustment range 40-110 °C• On time 4 h (programmable)• Preset time 0-12 h (programmable)• Includes a temperature and a humidity sensor• Control unit for a combined heater and steamer, also available separately Steamer and heater
ADDITIONAL POWER UNITS				
LTY17		Max. 17 kW 400 V 3N~	For expanding the output range of control units in the LTY17, Xenio, and Griffin series. Compatible with the CX170, CG170 and C90 control units.	<ul style="list-style-type: none">• Additional power unit• Only works in connection with the C90, C105S, Griffin and Xenio control units, not as a separate unit.• Controlling two heaters in one space using one control unit
LTY17C		For Combi heaters Max. 17 kW 400 V 3N~	For expanding the output range of control units in the LTY17C, Xenio and Griffin series. Compatible with the CX170, CG170 and C90 control units.	<ul style="list-style-type: none">• Additional power unit• Only works in connection with the Xenio Combi, Griffin Combi and C105S Logix control units, not as a separate unit.• Controlling two heaters in one space using one control unit
ACCESSORIES				
KA3		Lockable cover for the C150, C150VKK, and C260 control units.		



Add to the atmosphere of your sauna with lighting

Harvia lighting



Sauna lights

Choose from two colour options: steel or black. The stylish sauna light is a combination of steel and wood and measures 230 x 180 x 90 mm (width x height x depth). The package includes the lamp and a lampshade. Protection rating IP44, E14 bulb (max. 40 W) not included in the delivery.



LED strip

Indirect lighting based on LED strips is the perfect way to add to the warm atmosphere of your sauna. The LED strips can be easily integrated into sauna benches, for example into the backrest or the front edge of the upper bench. The LED strips are always tailored to suit the benches. The maximum installation height of the LED lights is 1,600 mm. The delivery includes the LED strips, connection cables to the transformer, a terminal strip and a transformer (230 V/12 V). The transformer must be installed in an IP44 rated case and no higher than 500 mm off the floor. A single transformer is enough for 10 m of LED strips.



Illuminated safety railing

Protective railings are stylish and improve the safety of your sauna. They are also available with LED lights: the light enhances the heater beautifully and adds ambience to the sauna. Illuminated safety railings are available for Cilindro, Cilindro Pro, Kivi and Legend heaters.

Illuminated embedding flange

Harvia Cilindro, Cilindro Pro, Globe and Kivi heaters can be embedded into the lower bench with the help of an optional embedding flange made from stainless steel.



Illuminated bucket – the brilliant container for sauna water

Harvia's illuminated bucket is a modern and practical container for water. It creates ambient lighting in the sauna – exactly where it is needed. You can either embed the illuminated bucket into the bench or mount it on top of the bench to ensure that it always has its own place in the sauna. The LED light in the base illuminates the bucket evenly, and the bucket also casts soft light on its surroundings. The bucket is made of optical plastic for optimal light dispersion. The bucket can easily be lifted off the base for refilling and cleaning. The separate base also ensures that the bucket's electrical components stay protected.



Luminous fibre optic lights – a stylish lighting solution

The Harvia Luminous fibre optic lights provide stylish lighting solutions for both saunas and steam rooms. The flexible fibre optics can be used to add a beautiful starry sky or a variety of graphic patterns to the ceiling or walls of your sauna. Luminous fibre optic lighting is available as different assemblies.





Complete your sauna with Harvia accessories

Harvia accessories



Embedding flanges for Forte, Kivi and Cilindro heaters

With a stylishly slick embedding flange, you can embed your always-ready Forte heater in the bench, giving your sauna an impressive and sleek look. The embedding flange is intended for use with the Harvia Forte heater, and it is only sold as part of a sauna interior package. Harvia Kivi and Cilindro E heaters can be embedded into the lower bench with a stainless steel embedding flange that is available as an accessory.



Sauna loudspeakers


Add to the atmosphere in your sauna with Harvia sauna loudspeakers. Connect the loudspeakers to your music player to enjoy your favourite music in the sauna. Harvia sauna loudspeakers are completely waterproof and well-suited for humid rooms, as their IP rating is IP65. Colour options: white or steel. Be sure to plan the wiring before beginning the panelling process. Tip! If you also install loudspeakers in the washroom and dressing room, you will be able to hear the music in every room.



Decorative stone wall

Forget the bucket and ladle, here comes an automated water dispenser. Just relax and press a button to apply water onto the stones – with or without a fragrance. Spa saunas benefit from the even air humidity and the simplified approach to throwing sauna water.

The device consists of a main unit and operating buttons. The delivery includes one button for water and another button for a water-fragrance mixture. The device works either automatically at defined intervals or at the press of a button. When the device is in automatic mode and water is applied by pushing the button, the timer for the dosing interval restarts.



Autodose sauna water dispenser

Forget the bucket and ladle, here comes an automated water dispenser. Just relax and press a button to apply water onto the stones – with or without a fragrance. Spa saunas benefit from the even air humidity and the simplified approach to throwing sauna water.

The device consists of a main unit and operating buttons. The delivery includes one button for water and another button for a water-fragrance mixture. The device works either automatically at defined intervals or at the press of a button. When the device is in automatic mode and water is applied by pushing the button, the timer for the dosing interval restarts.



Sauna accessories

Harvia's broad range of products offers everything from high-quality clean sauna stones to buckets, and from thermo-hygrometers to sauna fragrances. Make the most out of your sauna experience with a set of sauna accessories.

Build a relaxing steam room with Harvia equipment



Perfect spa experiences

Harvia steam rooms

The steam room differs from a traditional Finnish sauna in that its temperature is lower and the air humidity is higher. The air humidity rises to a hundred per cent, while the temperature remains at 40–45 degrees. Instead of a traditional sauna heater, the heat source in a steam room is a steam generator. With modern technology, steam rooms can be easily installed in homes. Please note, however, that the wall, ceiling, and seat materials in a steam room must be completely water-proof.

Similarly to a traditional sauna, a steam room relaxes the muscles, stimulates blood circulation and provides relief for many kinds of aches and pains. Breathing steam is a traditional way to treat a cold – and a stuffy nose in particular. A relaxing moment in a steam room relieves stress and eases the mind, which may also help with sleeping problems, making your sleep deeper and more soothing.

Harvia offers the products you need to build yourself a relaxing steam room.

Harvia HGX is a compact yet efficient steam generator for private use and spas. Because of its compact size, it can be installed in a low space – even on the roof of a steam room. The Harvia HGP steam generator is designed for spas that require a high steam output. Both steam generators have the same basic structure, the design of which is based on reliability, trouble-free operation and, above all, a relaxing steam room experience.

Harvia HGX and HGP steam generators are controlled by a stylish touch-screen control panel. The controlled functions are the steam generator, fragrance pump and the lighting and ventilation in the steam room.

Accessories available for the Harvia HGX steam generator include an automatic discharge valve, a fragrance pump and a steam nozzle (one nozzle included in a standard delivery). The automatic discharge valve and the fragrance pump are built-in features of Harvia HGP models. The steam generator model HGX11L is an extra power unit. Up to three of these extra power units can be linked with the basic steam generator to be controlled by the same control panel.

The Harvia aluminium frame door is an excellent choice for the door to your steam room, being available in several sizes and also as a double glass door. Complete your steam room experience with the Eucalyptus fragrance (5 l and 20 l).

Harvia Spa Modules


Structural modules for large spas – or for your own personal spa oasis.

Harvia Spa Modules offer an easy and effective way to implement the furnishings and structures of even the most demanding spa facilities. A typical solution includes the walls, ceiling and benches for a steam room, which, thanks to the unique manufacturing process, can be customised to almost any shape imaginable. The manufacturing method can also be scaled down for smaller designs, such as a shower recess that serves as the crowning feature of the bathroom. The delivery comprises the wall, ceiling, seat and other structures as ready-to-install modules. After the modules have been installed, they are levelled, waterproofed and tiled. All the client has to do is select and purchase the tiles and do the tiling.

See more at www.harvia.fi.



**HGX AND HGP
STEAM GENERATORS**



**ALUMINIUM FRAME
DOOR**



SPA MODULES

RECOMMENDED PRODUCTS



Automatic
discharge valve
ZG-700



Fragrance pump
ZG-900



Fragrance for steam room
SAC25080



Steam nozzle Silent
ZG-520




Steam nozzle
ZG-500



TECHNICAL DATA


Compact

TECHNICAL DATA								
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 2N~		230 V 1 N~	
					Connecting cables mm²	Fuse A	Connecting cables mm²	Fuse A
JM20 / JM20E	2,0	1,2-2	1500	10	4 x 1,5	2 x 10	3 x 1,5	1 x 10
JM25 / JM25E	2,5	1,5-2,5	1500	10	4 x 1,5	2 x 10	3 x 2,5	1 x 13
JM30 / JM30E	3,0	2-4	1500	10	4 x 1,5	2 x 10	3 x 2,5	1 x 16



Vega Compact


TECHNICAL DATA								
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 2N~		230 V 1 N~	
					Connecting cables mm²	Fuse A	Connecting cables mm²	Fuse A
BC23	2,3	1,3-2,5	1700	12	4 x 1,5	2 x 10	3 x 1,5	1 x 10
BC35	3,5	2-4,5	1700	12	4 x 1,5	2 x 10	3 x 2,5	1 x 16



SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
BC23	10	20	900
BC35	20	30	900

Delta, Delta EE, Delta Combi


TECHNICAL DATA								
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 2N-		230 V 1N-	
					Connecting cables mm²	Fuse A	Connecting cables mm²	Fuse A
D23	2,3	1,3-2,5	1700	11	4 x 1,5	2 x 10	3 x 1,5	1 x 10
D36	3,6	2-4,5	1700	11	4 x 1,5	2 x 10	3 x 2,5	1 x 16
D23EE	2,3	1,3-2,5	1700	11	4 x 1,5	2 x 10	3 x 1,5	1 x 10
D29EE	2,9	2-4	1700	11	4 x 1,5	2 x 10	3 x 2,5	1 x 13
D36EE	3,6	2-4,5	1700	11	4 x 1,5	2 x 10	3 x 1,5	1 x 16
D29E	2,9	1,5-4	1700	11	-	-	3 x 2,5	1 x 13 (1x16)



Unio

TECHNICAL DATA				
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg
NK36EE/NK36E	3,6	1,5-5,5	1900	36


SAFETY DISTANCES



Kivi


TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N-	
					Connecting cables mm²	Fuse A
PI70 / PI70E	6,9	6-10	1900	100	5 x 1,5	3 x 10
PI90 / PI90E	9,0	8-14	1900	100	5 x 2,5	3 x 16

SAFETY DISTANCES




- A. Sensor (installed on ceiling)
- B. Sensor (installed on wall)
- C. Bench or safety railing
- D. Embedding flange HPI1 (accessory). See installation instructions of the flange before making a hole in the bench.

ACCESSORIES



Forte


TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N-	
					Connecting cables mm²	Fuse A
AFB4	4,0	5-8	1900	100	5 x 1,5	3 x 10
AFB6	6,0	7-12	1900	100	5 x 1,5	3 x 10
AFB9	9,0	10-15	1900	100	5 x 2,5	3 x 16



Globe

TECHNICAL DATA							
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	Diameter mm	400 V 3N~	
						min. mm	Fuse A
GL70 / GL70E	6,9	6-10	1900	50	430	5 x 1,5	3 x 10
GL110 / GL110E	10,5	9-15	1900	80	500	5 x 2,5	3 x 16

SAFETY DISTANCES




CHOOSING GLOBE HEATER, FASTENING KIT AND ACCESSORIES

Heater	Fastening kit	Safety railing Optional	Bench protection Optional
 Harvia Globe GL70 (6,9 kW) ø 430 mm Harvia Globe GL110 (10,5 kW) ø 500 mm	 Ceiling suspension kit HGL4	 Safet railing HGL 6 (Globe 6,9 kW) HGL 7 (Globe 10,5 kW)	 Bench protection glass HGL8
	 Stand telescopic HGL3 Stand low HGL5	 Safety railing HGL 6 (Globe 6,9 kW) HGL 7 (Globe 10,5 kW)	 Bench protection glass HGL8
	 Wall mounting rack HGL1 (Globe 6,9 kW) HGL2 (Globe 10,5 kW)	 Safety railing HGL 6 (Globe 6,9 kW) HGL 7 (Globe 10,5 kW)	



Cilindro

TECHNICAL DATA						
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
PC 66 / E	6,6	5-9	1900	75	5 x 1,5	3 x 10
PC70/F	6,8	6-10	1900	80	5 x 1,5	3 x 10
PC70E/HE	6,8	6-10	1900	90	5 x 1,5	3 x 10
PC90/H/F	9,0	8-14	1900, F:2100	80	5 x 2,5	3 x 16
PC90E/HE	9,0	8-14	1900	90	5 x 2,5	3 x 16
PC1100EE/HE	10,8	9-18	1900	120	5 x 2,5	3 x 16
PC110HEE/HE	10,8	9-18	1900	120	5 x 2,5	3 x 16

SAFETY DISTANCES						
Heater model	A min. mm	B min. mm	C min. mm	D min. mm	E min. mm	F min. mm
PC70E/EE	100	100	950	30	520	520
PC70H/HE/HEE	30	100	950	30	420	470
PC70F	30	30	950	30	420	420
PC90E/EE	100	100	950	30	520	520
PC90H/HE/HEE	30	100	950	30	420	470
PC90F	30	30	1150	30	420	420
PC1100EE/E	100	100	830	30	565	565
PC110HEE/HE	30	100	830	30	455	510




SAFETY DISTANCES PC 66/66E								
Heater model	A min. mm	B min. mm	C min. mm	D min. mm	E 3N- min. mm	1N- min. mm	F min. mm	G min. mm
PC66	100	-	-	540	30	50	455	455
PC66E	100	30	60	540	30	50	405	405



Figaro


TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
FG70 / FG70E	6,8	6-10	1900	90	5 x 1,5	3 x 10
FG90 / FG90E	9,0	8-14	1900	90	5 x 2,5	3 x 16

SAFETY DISTANCES	
Heater model	A min. mm
FG70 / FG70E	100
FG90 / FG90E	150




Sound

TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
M45 / M45E	4,5	3-6	1900	20	5 x 1,5	3 x 10
M60 / M60E	6,0	5-8	1900	20	5 x 1,5	3 x 10
M80 / M80E	8,0	7-12	1900	20	5 x 2,5	3 x 16
M90E	9,0	8-14	1900	20	5 x 2,5	3 x 16




SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
M45 / M45E	35	20	35
M60 / M60E	50	30	50
M80 / M80E	100	30	80
M90E	120	40	100



Moderna

TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
V45E	4,5	3-6	1900	20	5 x 1,5	3 x 10
V60E	6,0	5-8	1900	20	5 x 1,5	3 x 10
V80E	8,0	7-12	1900	20	5 x 2,5	3 x 16


SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
V45E	35	20	35
V60E	40	30	50
V80E	70	30	60



Topclass

TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
KV45	4,5	3-6	1900	20	5 x 1,5	3 x 10
KV60	6,0	5-8	1900	20	5 x 1,5	3 x 10
KV80	8,0	7-12	1900	20	5 x 2,5	3 x 16


SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
KV30	20	30	60
KV45	35	30	80
KV60	50	30	150
KV80	100	30	150



Topclass Combi

TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
KV60SE / KV60SEA	6,0	5-8	1900	20	5 x 1,5 + 2 x 1,5	3 x 10
KV80SE / KV80SEA	8,0	7-12	1900	20	5 x 2,5 + 2 x 2,5	3 x 16
KV90SE / KV90SEA	9,0	8-14	1900	20	5 x 2,5 + 2 x 2,5	3 x 16


SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
KV50SE / KV50SEA	35	10	20
KV60SE / KV60SEA	50	10	60
KV80SE / KV80SEA	100	10	90
KV90SE / KV90SEA	120	10	100



Vega

TECHNICAL DATA						
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~	
					Connecting cables mm²	Fuse A
BC45	4,5	3-6	1900	20	5 x 1,5	3 x 10
BC60	6,0	5-8	1900	20	5 x 1,5	3 x 10
BC80	8,0	7-12	1900	20	5 x 2,5	3 x 16

SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
BC45	35	20	35
BC60	50	30	50
BC80	100	30	80




Classic Electro

TECHNICAL DATA								
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~		230 V 1N~	
					Connecting cable mm²	Fuse A	Connecting cable mm²	Fuse A
CS60	6,0	5-8	1900	27	5 x 1,5	3 x 10	3 x 4	1 x 35
CS80	8,0	7-12	1900	27	5 x 2,5	3 x 16	3 x 6	1 x 35

SAFETY DISTANCES		
Heater model	A min. mm	B min. mm
CS60	50 (*)	140
CS80	100	200


(* for fastening the screws)



Classic Quatro

TECHNICAL DATA								
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N~		230 V 1N~	
					Connecting cable mm²	Fuse A	Connecting cable mm²	Fuse A
QR70	6,8	6-10	1900	80	5 x 1,5	3 x 10	3 x 6	1 x 35
QR90	9,0	8-14	1900	80	5 x 2,5	3 x 16	3 x 10	1 x 40

SAFETY DISTANCES							
Heater model	A min. mm	B min. mm	C min. mm	D min. mm		E min. mm	F min. mm
				3 N~	1 N~		
QR70	100	100	950	30	50	500	500
QR90	120	140	950	30	50	540	560



Sauna Steamer














TECHNICAL DATA					
Model	Power kW	Water tank	Vaorisation efficiency l/h	230 V 1N~	
				Connecting cables mm²	Fuse A
SS20	2,0	5,5	ca. 2,5	3 x 1,5	1 x 10
SS20A	2,0	5,5	ca. 2,5	3 x 1,5	1 x 10


Hidden heater

TECHNICAL DATA							
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	Connecting cable mm² 400 V 3N~		
					To control unit	To heater	To sensor
HH6	6,0	6-10	2100	15	5 x 1,5	5 x 1,5	4 x 0,25
HH9	9,0	10-14	2100	15	5 x 2,5	5 x 2,5	4 x 0,25
HH12	12,0	12-17	2100	15	5 x 4,0	5 x 2,5	4 x 0,25


SAFETY DISTANCES		
Heater model	A min. mm	B min. mm
HH6	75	75
HH9	75	90
HH12	75	120

Modulo

MODULO OPTIONS			
			
CLOSED SIDES	CLOSED SIDES WITH A STEAMER	OPEN	CORNER MODEL RIGHT
MD135, MDS135, MD135SA, MDS135SA, MD160, MDS160	MDS160SA, MD160SA, MD180, MDS180, MD180SA, MDS180SA	MD135G, MDS135G, MD160G, MDS160G, MD180G, MDS180G,	MD135GR, MDS135GR, MD160GR, MDS160GR, MD180GR, MDS180GR,
			<div>COLOUR OPTIONS</div> <div> Black</div> <div> STEEL</div>
CORNER MODEL, LEFT	ONE SIDE OPEN	OPEN ON THREE SIDES, WITH A STEAMER	
MD135GL, MDS135GL, MD160GL, MDS160GL, MD180GL, MDS180GL,	MD135H, MDS135H, MD160H, MDS160H, MD180H, MDS180H	MD135GSA, MDS135GSA, MD160GSA, MDS160GSA, MD180GSA, MDS180GSA	
CORNER MODEL, LEFT	ONE SIDE CLOSED	OPEN	CORNER MODEL RIGHT
			
MDA1654GL, MDAS1654GL	MDA1654C, MDAS1654C	MDA1654G, MDAS1654G	MDA1654GR, MDAS1654GR



TECHNICAL DATA								
Heater model	Power kW	Vaporizer		Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	Stone size	
		Power kW	Max. vapourisation kg/h				AC3020 ø 10-15 cm kg	AC3000 ø alle 10 cm kg
CLOSED SIDES								
MD135 / MDS135	13,6	—	—	11-20	2100	160	140	20
MD135SA / MDS135SA	13,6	2	2,5	11-20	2100	160	140	20
MD160 / MDS160	15,8	—	—	15-25	2100	160	140	20
CLOSED SIDES, WITH A STEAMER								
MDS160SA / MD160SA	15,8	2	2,5	15-25	2100	160	140	20
MD180 / MDS180	18	—	—	20-28	2100	160	140	20
MD180SA / MDS180SA	18	2	2,5	20-28	2100	160	140	20
OPEN								
MD135G / MDS135G	13,6	—	—	11-20	2100	160	140	20
MD160G / MDS160G	15,8	—	—	15-25	2100	160	140	20
MD180G / MDS180G	18	—	—	20-28	2100	160	140	20
MDA1654G / MDAS1654G	16,6 / 19,8	—	—	15-30	2100	220	—	220
CORNER MODEL, LEFT								
MD135GL / MDS135GL	13,6	—	—	11-20	2100	160	140	20
MD160GL / MDS160GL	15,8	—	—	15-25	2100	160	140	20
MD180GL / MDS180GL	18	—	—	20-28	2100	160	140	20
MDA1654GL / MDAS1654GL	16,6 / 19,8	—	—	15-30	2100	220	—	220
CORNER MODEL, RIGHT								
MD135GR / MDS135GR	13,6	—	—	11-20	2100	160	140	20
MD160GR / MDS160GR	15,8	—	—	15-25	2100	160	140	20
MD180GR / MDS180GR	18	—	—	20-28	2100	160	140	20
MDA1654GR / MDAS1654GR	16,6 / 19,8	—	—	15-30	2100	220	—	220
ONE SIDE OPEN								
MD135H / MDS135H	13,6	—	—	11-20	2100	160	140	20
MD160H / MDS160H	15,8	—	—	15-25	2100	160	140	20
MD180H / MDS180H	18	—	—	20-28	2100	160	140	20
OPEN ON THREE SIDES, WITH A STEAMER								
MD135GSA / MDS135GSA	13,6	2	2,5	11-20	2100	160	140	20
MD160GSA / MDS160GSA	15,8	2	2,5	15-25	2100	160	140	20
ONE SIDE CLOSED								
MDA1654C / MDAS1654C	16,6 / 19,8	—	—	15-30	2100	220	—	220





SAFETY DISTANCES				
Heater model	A min. mm	B min. mm	C min. mm	D min. mm
MDAG	130	130	130	130
MDAGL	130	130	50	50
MDAGR	130	50	50	130
MDAC	130	130	50	130


Virta

TECHNICAL DATA							
Heater model	Power kW	Vaporizer		Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	Stone size (AC3020) cm
		Power kW	Max. vaporisation kg/h				
HL70/HLS70	6,8	-	-	5-10	1900	50	Ø 10-15
HL90/HLS90	9,0	-	-	8-14	1900	50	Ø 10-15
HL110/HLS110	10,8	-	-	9-18	1900	70	Ø 10-15
HL70S/HLS70S/ HL70SA/HLS70SA	6,8	2,0	2,5	5-10	1900	50	Ø 10-15
HL90S/HLS90S/ HL90SA/HLS90SA	9,0	2,0	2,5	8-14	1900	50	Ø 10-15
HL110S/HLS110S/ HL110SA/HLS110SA	10,8	2,0	2,5	9-18	1900	70	Ø 10-15
HL135/HLS135	13,5	-	-	11-20	2100	100	Ø 10-15
HL160/HLS160	15,8	-	-	16-25	2100	100	Ø 10-15
HL220/HLS220	21,6	-	-	22-32	2100	140	Ø 10-15
HL135SA/HLS135SA	13,5	4,0	5,0	11-20	2100	100	Ø 10-15
HL160SA/HLS160SA	15,8	4,0	5,0	16-25	2100	100	Ø 10-15
HL220SA/HLS220SA	21,6	4,0	5,0	22-32	2100	140	Ø 10-15

SAFETY DISTANCES		
Heater model	A min. mm	B min. mm
6,8-10,8 kW	30	1100
13,5 kW	50	1290
15,8-21,6 kW	80	1290





SAFETY RAILING						
1 pc/carton		HL1 410 mm	HL2 340 mm	HL3 410 mm	HL4 485 mm	HL5 780 mm
Virta	HL70/HLS70/HL90/HLS90	2	2			
	HL110/HLS110/HL70S/HLS70S/HL70SA/HLS70SA/ HL90S/HLS90S/HL90SA/HLS90SA	2		2		
	HL110S/HL110SA/HLS110S/HLS110SA	2			2	
Virta Pro	HL135/HL160/HLS135/HLS160		2			2
	HL220/HL135SA/HL160SA/HLS220/HLS135SA/ HLS160SA			2		2
	HL220SA/HLS220SA				2	2



Cilindro Pro

TECHNICAL DATA											
Heater model	Power kW	Group		Groups	Fuse		Recommended sauna room size min.-max. m³	Sauna height min. mm	Stone capacity max. kg	Connecting cable min. mm	
		1	2		1 (A)	2 (A)				Group 1	Group 2
PC100E / PC135E	10	Δ	-	1	3 x 16	-	9-16	1900	140	5 x 2,5	-
	13,2	Y	-	1	3 x 20	-	11-20	1900	140	5 x 6	-
PC165E / PC200E	16,6	Y	-	1	3 x 25	-	15-25	2100	220	5 x 6	-
	16,6	Δ	Y	2	3 x 16	3 x 10	20-30	2100	220	5 x 2,5	5 x 2,5
	19,8	Y	Y	2	3 x 20	3 x 10	20-30	2100	220	5 x 6	5 x 2,5

SAFETY DISTANCES		
Heater model	A min. mm	B min. mm
PC100E / PC135E	550	1900
PC165E / PC200E	750	2100




Legend

TEKNISET TIEDOT								
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna height min. mm	Stone capacity max. kg	400 V 3N- connecting cable mm²			Fuse A
					To control unit	To junction box	To heater	
PO11	11,0	9-20	1900	120	5 x 2,5	4 x 0,25	5 x 2,5	3 x 16
PO165	16,5	16-35	2100	220	5 x 6,0	4 x 0,25	5 x 2,5	3 x 25

SAFETY DISTANCES					
Heater model	A min. mm	A max. mm	B min. mm	B max. mm	C min. mm
PO11	100	150	100	200	1100
PO165	200	300	150	300	1250


Location options for the sensor (C, D)



Elegance

TECHNICAL DATA								
Heater model	Power kW	Recommended sauna room size min.-max. m ⁵	Sauna room height min. mm	Stone capacity max. kg	400 V 3N- connecting cable mm ²			Fuse A
					To control unit	To sensor	To heater	
F10,5	10,5	9-18	2100	60	5 x 2,5	5 x 2,5	5 x 2,5	3 x 16
F15	15,0	14-26	2100	60	5 x 6,0	5 x 6,0	5 x 2,5	3 x 10
F16,5	16,5	16-30	2100	60	5 x 6,0	5 x 2,5	2 x 5 x 2,5	3 x 25
F18	18,0	20-35	2100	60	5 x 10	5 x 2,5	2 x 5 x 2,5	3 x 25


SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
F10,5	100	200	50
F15	150	250	100
F16,5	150	250	100
F18	150	250	100



Senator

TECHNICAL DATA						
Heater model	Power kW	Recommended sauna room size min.-max. m ³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N- connecting cable mm ²	Fuse A
T9	9,0	8-14	1900	40	5 x 2,5	3 x 16
T10,5	10,5	9-15	1900	40	5 x 2,5	3 x 16

SAFETY DISTANCES				
Heater model	A min. mm	A max mm	B min. mm	C min. mm
T9	120	150	50	80
T10,5	150	180	50	100



Senator Combi


TECHNICAL DATA						
Heater model	Power kW	Recommended sauna room size min.-max. m ³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N- connecting cable mm ²	Fuse A
T7C / T7CA	7,0	6-9	1900	35	5 x 2,5 + 2 x 2,5	3 x 16
T9C / T9CA	9,0	8-14	1900	35	5 x 2,5 + 2 x 2,5	3 x 16

SAFETY DISTANCES				
Heater model	A min. mm	A max mm	B min. mm	C min. mm
T7C / T7CA	80	120	35	60
T9C / T9CA	120	150	50	80

Club

TECHNICAL DATA								
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N-connecting cable mm²			Sulake A
					To control unit	To sensor	To heater	
K11G	11,0	9-16	1900	60	5 x 2,5	4 x 0,25	5 x 2,5	3 x 16
K13,5G	13,5	11-20	2100	60	5 x 4,0	4 x 0,25	5 x 2,5	3 x 20
K15	15,0	14-24	2100	60	5 x 6,0	4 x 0,25	5 x 2,5	3 x 25

SAFETY DISTANCES					
Heater model	A min. mm	A max mm	B min. mm	C min. mm	D min. mm
K11G	70	170	50	70	1200
K13,5G	100	200	50	100	1400
K15	100	200	50	100	1400



Club Combi

TECHNICAL DATA						
Heater model	Power kW	Recommended sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N-connecting cable mm²	Fuse A
K11GS	11,0	9-16	1900	60	5 x 1,5 + 4 x 1,5	3 x 16*
K13,5GS	13,5	11-20	2100	60	5 x 2,5 + 4 x 1,5	3 x 20*
K15GS	15,0	14-24	2100	60	5 x 2,5 + 4 x 1,5	3 x 25*


*) Club Combi requires a separate supply voltage for the heater (3-phase 16/25 A) and for the control unit (1-phase 10 A).

SAFETY DISTANCES					
Heater model	A min. mm	A max. mm	B min. mm	C min. mm	D min. mm
K11GS	70	170	50	70	1200
K13,5GS	100	200	50	100	1400
K15GS	100	200	50	100	1400

Profi


TECHNICAL DATA								
Heater model	Power kW	Recommen- ded sauna room size min.-max. m³	Sauna room height min. mm	Stone capacity max. kg	400 V 3N-			Fuse A
					To control unit	To sensor	To heater group 1 and 2	
L20	20,0	18-30	2100	100	5 x 10	4 x 0,25	5 x 2,5	3 x 35
L26	26,0	30-46	2200	100	5 x 16	4 x 0,25	5 x 6,0	3 x 50
L30	30,0	40-56	2200	100	5 x 16	4 x 0,25	5 x 6,0	3 x 50
L33	33,0	46-66	2200	100	5 x 16	4 x 0,25	5 x 6,0	3 x 50

SAFETY DISTANCES			
Heater model	A min. mm	B min. mm	C min. mm
L20	160	100	200
L26	160	100	200
L30	200	100	200
L33	200	100	200




Control units


HARVIA XENIO




XAFIR




C SERIE



HARVIA GRIFFIN



LTY17 JA LTY17C



The largest manufacturer of sauna heaters in the world has the right heater for every sauna.



Harvia Oy

P.O. Box 12
FI-40951 Muurame, FINLAND
Tel. +358 207 464 000
Fax +358 207 464 090
harvia@harvia.fi
www.harvia.com



@harviaglobal